

```
=> fil hcaplus
FILE 'HCAPLUS' ENTERED AT 18:59:20 ON 04 JAN 2006
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)
```

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.


```
FILE COVERS 1907 - 4 Jan 2006 VOL 144 ISS 2
FILE LAST UPDATED: 3 Jan 2006 (20060103/ED)
```

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

```
=>
=>
```

```
=> d stat que
L24 STR
```



```
VAR G1=S/N/C
NODE ATTRIBUTES:
DEFAULT MLEVEL IS ATOM
DEFAULT ECLEVEL IS LIMITED
```

```
GRAPH ATTRIBUTES:
RING(S) ARE ISOLATED OR EMBEDDED
NUMBER OF NODES IS 10
```

```
STEREO ATTRIBUTES: NONE
L26 167644 SEA FILE=REGISTRY SSS FUL L24
L27 52600 SEA FILE=HCAPLUS ABB=ON PLU=ON L26
L28 51226 SEA FILE=HCAPLUS ABB=ON PLU=ON ACNE+ALL/CT OR ?ACNE?
L29 47114 SEA FILE=HCAPLUS ABB=ON PLU=ON HIRSUTISM+ALL/CT
L30 4904 SEA FILE=HCAPLUS ABB=ON PLU=ON HAIRY+ALL/CT OR HAIRY
L31 19 SEA FILE=HCAPLUS ABB=ON PLU=ON L27 (L) (L28 OR L29 OR L30)
L32 8 SEA FILE=HCAPLUS ABB=ON PLU=ON L31 NOT HAIRY(W) ROOT
```

```
=>
=>
```

=&gt; d ibib abs hitstr l32 1-8

L32 ANSWER 1 OF 8 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2005:179157 HCAPLUS

DOCUMENT NUMBER: 142:266314

TITLE: Topical preparations and cosmetic preparations containing 6-chromanyl phosphates and inflammation inhibitors

INVENTOR(S): Monobe, Akio; Niimi, Daisuke; Yashiro, Yoichi; Miyamoto, Kunihiro; Ishii, Izumi; Kitahara, Jiro; Nakada, Satoru

PATENT ASSIGNEE(S): Nippon Menard Cosmetic Co., Ltd., Japan

SOURCE: Jpn. Kokai Tokkyo Koho, 15 pp.

CODEN: JKXXAF

DOCUMENT TYPE: Patent


LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	----	-----	-----	-----
JP 2005053785	A2	20050303	JP 2003-142229	20030520
PRIORITY APPLN. INFO.:			JP 2003-142229	20030520
OTHER SOURCE(S):	MARPAT	142:266314		

GI



AB Topical prepsns., rough skin preventing prepsns., skin-lightening cosmetics, acne treatment prepsns., and hair growth stimulant prepsns. contain 6-chromanyl phosphates I (R1, R2 = H, alkyl, acyl, ethylene oxide, alkali metal, alkaline earth metal' R4-R7 = H, alkyl, alkenyl, acyl) and  $\geq 1$  of antiinflammatory components. Thus, a skin-lightening lotion containing I (R1 + R2 = 1.5 mol Na; R3 = H, R4-R6 = Me, R7 = C16H33) and stearyl glycyrrhetinate significantly prevented UV-induced skin pigmentation in male volunteers.


IT 53-86-1, Indomethacin

RL: COS (Cosmetic use); PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(topical prepsns. for rough skin prevention, skin lightening, acne treatment, hair growth promotion, etc., containing 6-chromanyl phosphates and inflammation inhibitors)

RN 53-86-1 HCAPLUS

CN 1H-Indole-3-acetic acid, 1-(4-chlorobenzoyl)-5-methoxy-2-methyl- (9CI)  
(CA INDEX NAME)




L32 ANSWER 2 OF 8 HCAPLUS COPYRIGHT 2006 ACS on STN  
 ACCESSION NUMBER: 2004:510473 HCAPLUS  
 DOCUMENT NUMBER: 141:59718  
 TITLE: Topical nonsteroidal anti-inflammatory agents  
 containing essential oils and body-warming substacnes  
 INVENTOR(S): Sugita, Kimiko; Ouchi, Junko; Okajima, Takako;  
 Watanabe, Hiroyuki  
 PATENT ASSIGNEE(S): Taisho Pharmaceutical Co., Ltd., Japan  
 SOURCE: Jpn. Kokai Tokkyo Koho, 7 pp.  
 CODEN: JKXXAF  
 DOCUMENT TYPE: Patent  
 LANGUAGE: Japanese  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2004175723	A2	2004/06/24	JP 2002-344009	20021127
PRIORITY APPLN. INFO.:			JP 2002-344009	20021127

AB Title agents contain (A) indomethacin (I), piroxicam, and/or diclofenac Na, (B) essential oils of bergamot, lavender, pine, Rosa damascena, wintergreen, Citronella, Melaleuca alternifolia, peppermint, lemon, lemongrass, Eucalyptus citriodora, Rosmarinus officinalis, clove, Pelargonium roseum, marjoram sweet, lavandin, rosewood, palmarosa oil, cypress, cinnamon, juniper, orange sweet, Lavandula latifolia, thyme thymol, thyme linalool, basil, Hyssopus officinalis, Helichrysum, mandarin, Eucalyptus dives, Pinus sylvestris, Ravensara aromatica, lemon verbena, Melissa officinalis, Chamaemelum nobile, ylang-ylang, Matricaria chamomilla, Anthemis nobil, cajuput, clary sage, grapefruit, sandalwood, Cedrus atlantica, Juniperus virginiana, jasmine absolute, spearmint, spicata, Thymus vulgaris, Melaleuca viridiflora, Neroli, sweet basil, patchouli, palmarosa oil, Foeniculum vulgare, Citrus aurantium, Boswellia carteri, Eucalyptus globulus, Eucalyptus radiata, Ravensara, Matricaria chamomilla oil, Cinnamomum cassia oil, cinnamaldehyde, syzygium aromaticum oil, Mentha arvensis oil, piperonal, eucalyptus oil, rosin, Rose damascena, anthemis nobilis oil, orange oil, and/or turpentine oil, and (C) nonylic acid vanillylamide (II), capsaicin, and/or Capsicum annum extract or tincture as body-warming substacnes. A gel containing I, bergamot oil, and II showed high efficacy in stiff neck.

IT 53-86-1, Indomethacin  
 RL: PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
 (topical nonsteroidal anti-inflammatory agents containing essential oils and body-warming substacnes)

RN 53-86-1 HCAPLUS  
 CN 1H-Indole-3-acetic acid, 1-(4-chlorobenzoyl)-5-methoxy-2-methyl- (9CI)  
 (CA INDEX NAME)



L32 ANSWER 3 OF 8 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2002:845271 HCAPLUS

DOCUMENT NUMBER: 137:346175

TITLE: Use of lipoxigenase inhibitors for the treatment of acne

INVENTOR(S): Zouboulis, Christos C.

PATENT ASSIGNEE(S): Germany

SOURCE: Ger. Offen., 6 pp.

CODEN: GWXXBX

DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 10121252	A1	20021107	DE 2001-10121252	20010430
CA 2445634	AA	20021114	CA 2002-2445634	20020429
WO 2002089791	A2	20021114	WO 2002-EP4715	20020429
WO 2002089791	A3	20031211		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
EP 1385505	A2	20040204	EP 2002-730223	20020429
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
JP 2004528360	T2	20040916	JP 2002-586926	20020429
US 2004259920	A1	20041223	US 2004-476405	20040802
PRIORITY APPLN. INFO.:				
			DE 2001-10121252	A 20010430
			WO 2002-EP4715	W 20020429

AB The invention discloses the use of lipoxigenase inhibitors for the treatment of acne, in particular inflammatory acne. The lipoxigenase inhibitor can be used alone or into combination with other lipoxigenase inhibitors or with further anti-acne agents in a suitable pharmaceutical composition, in particular via oral and/or local topical application.


IT 118414-82-7, L 663536 130838-15-2, Y-19432  
135872-94-5, WAY 121520 147030-01-1, MK-591  
147936-06-9, L-699333 148490-22-6

RL: PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
(lipoxigenase inhibitors for treatment of acne)

RN 118414-82-7 HCAPLUS  
 CN 1H-Indole-2-propanoic acid, 1-[(4-chlorophenyl)methyl]-3-[(1,1-dimethylethyl)thio]- $\alpha,\alpha$ -dimethyl-5-(1-methylethyl)- (9CI) (CA INDEX NAME)




RN 130838-15-2 HCAPLUS  
 CN 1H-Indole-3-carboxamide, 1-butyl-5-hydroxy-2-methyl-N-[1-(2-phenylethyl)-4-piperidinyl]-, hydrochloride (9CI) (CA INDEX NAME)




●x HCl

RN 135872-94-5 HCAPLUS  
 CN 1H-Indole-3-acetic acid, 1-[(4-chlorophenyl)methyl]-2-methyl-5-(2-quinolinylmethoxy)- (9CI) (CA INDEX NAME)



RN 147030-01-1 HCAPLUS


CN 1H-Indole-2-propanoic acid, 1-[(4-chlorophenyl)methyl]-3-[(1,1-dimethylethyl)thio]-α,α-dimethyl-5-(2-quinolinylmethoxy)-, sodium salt (9CI) (CA INDEX NAME)



● Na


RN 147936-06-9 HCAPLUS

CN Butanoic acid, 2-[2-[1-[(4-chlorophenyl)methyl]-4,5-dihydro-4-methyl-6-[(5-phenyl-2-pyridinyl)methoxy]-1H-thiopyrano[2,3,4-cd]indol-2-yl]ethoxy]-, sodium salt (9CI) (CA INDEX NAME)



RN 148490-22-6 HCAPLUS

CN 4H-Pyrrolo[3,2,1-ij]quinolin-8-ol, 4-butyl-5,6-dihydro-2-methyl-1-[2-[4-(4-methyl-2-pyridinyl)-1-piperazinyl]ethyl]- (9CI) (CA INDEX NAME)



REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L32 ANSWER 4 OF 8 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2002:359853 HCAPLUS

DOCUMENT NUMBER: 136:374838

TITLE: Rapid-drying nonsticky topical antiacne preparations containing vinyl copolymers

INVENTOR(S): Maruyama, Nao; Tsunenaga, Makoto

PATENT ASSIGNEE(S): Shiseido Co., Ltd., Japan

SOURCE: Jpn. Kokai Tokkyo Koho, 12 pp.

CODEN: JKXXAF

DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	-----	-----	-----	-----

JP 2002138033 A2 2002/05/14 JP 2000-331294 20001030  
 PRIORITY APPLN. INFO.: JP 2000-331294 20001030  
 AB The preps. contain (A) copolymers prepared by polymerization of monomer compns.

containing CH<sub>2</sub>:CR<sub>1</sub>COABNR<sub>2</sub>R<sub>3</sub> (R<sub>1</sub> = H, Me; R<sub>2</sub>, R<sub>3</sub> = H, Me, Et, tert-Bu; A = O, NH; B = linear or branched C1-4 alkylene) 15.0-90.0, CH<sub>2</sub>:CR<sub>1</sub>R<sub>4</sub> (R<sub>1</sub> = same as above; R<sub>4</sub> = 2-pyrrolidon-1-yl, 2-piperidon-1-yl, CONH<sub>2</sub>) 10.0-80.0, CH<sub>2</sub>:CR<sub>1</sub>COAR<sub>5</sub>R<sub>6</sub> [R<sub>1</sub>, A = same as above; R<sub>5</sub> = linear or branched C8-17 alkylene, (CnH<sub>2</sub>nO)q; n = 3, 4; q = 10-25; R<sub>6</sub> = H, Me] 1.0-60.0, and crosslinkable vinyl monomers 0.1-25.0 weight%, (B) EtOH, and (C) stratum corneum-softening or -peeling agents, antibacterial agents, sebum-inhibiting or -absorbing agents, protease inhibitors, α-hydroxy acids, vitamin B6-HCl, sulfophenol salts, Arg, and/or Arg derivs. A skin lotion containing solubilized S 1.0, Paeonia root extract 0.1, Arg-HCl 0.1, glycyrrhetic acid 0.1, lactic acid 0.2, N,N-dimethylaminoethyl methacrylate-N-vinylpyrrolidone-stearyl acrylate-tripropylene glycol diacrylate copolymer 0.7, EtOH 50.0, and H<sub>2</sub>O to 100.0 weight% was effective in treatment of acne vulgaris and not sticky.


IT 53-86-1, Indomethacin

RL: PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(rapid-drying nonsticky topical **antiacne** preps. containing vinyl copolymers, EtOH, and biol. active agents)

RN 53-86-1 HCAPLUS

CN 1H-Indole-3-acetic acid, 1-(4-chlorobenzoyl)-5-methoxy-2-methyl- (9CI)  
 (CA INDEX NAME)



L32 ANSWER 5 OF 8 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1998:650390 HCAPLUS

DOCUMENT NUMBER: 129:335740

TITLE: Topical compositions containing loquat extracts and other active agents for the treatment of acne

INVENTOR(S): Kawai, Eriko; Inaba, Tomoyuki; Kitamura, Kanemoto

PATENT ASSIGNEE(S): Shiseido Co., Ltd., Japan

SOURCE: Jpn. Kokai Tokkyo Koho, 7 pp.

CODEN: JKXXAF

DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 10265365	A2	1998/1006	JP 1997-85886	19970319
PRIORITY APPLN. INFO.:			JP 1997-85886	19970319

AB A topical composition for the treatment of acne comprises loquat exts. and ≥1 agents selected from the group consisting of keratin softeners, keratin-exfoliating agents, anti-inflammatories, bactericides, sebum




inhibitors, and protease inhibitors. An anti-acne lotion contained loquat exts. 1, glycyrrhetic acid 0.05, sorbitol (70 %) 3, glycerol 5, ethoxylated hydrogenated castor oils 0.5, ethanol 20, and distilled water to 100 %.

IT 53-86-1, Indomethacin

RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
(topical compns. containing loquat exts. and other active agents for treatment of **acne**)

RN 53-86-1 HCAPLUS

CN 1H-Indole-3-acetic acid, 1-(4-chlorobenzoyl)-5-methoxy-2-methyl- (9CI)  
(CA INDEX NAME)



L32 ANSWER 6 OF 8 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1998:172939 HCAPLUS

DOCUMENT NUMBER: 128:172152

TITLE: Medicine for treatment of acne

INVENTOR(S): Zhan, Jianyong

PATENT ASSIGNEE(S): Zhan, Jianyong, Peop. Rep. China

SOURCE: Faming Zhuanli Shenqing Gongkai Shuomingshu, 8 pp.

CODEN: CNXXEV

DOCUMENT TYPE: Patent

LANGUAGE: Chinese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	----	-----	-----	-----
CN 1143498	A	19970226	CN 1995-111740	19950823
PRIORITY APPLN. INFO.:			CN 1995-111740	19950823


AB Pharmaceutical compns. [solns.] for treatment of **acne**, oily skin, seborrheic dermatitis and rosacea contain chloromycetin, camphor, indomethacin, edetic acid, ethylparaben, tanshinone, DMSO, ethanol and distilled water. The composition were safe and effective.

IT 53-86-1, Indomethacin

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)  
(pharmaceutical compns. for treatment of **acne**)


RN 53-86-1 HCAPLUS

CN 1H-Indole-3-acetic acid, 1-(4-chlorobenzoyl)-5-methoxy-2-methyl- (9CI)  
(CA INDEX NAME)



L32 ANSWER 7 OF 8 HCAPLUS COPYRIGHT 2006 ACS on STN  
 ACCESSION NUMBER: 1989:141529 HCAPLUS  
 DOCUMENT NUMBER: 110:141529  
 TITLE: Topical compositions comprising 1-substituted imidazoles and NSAIDS (non-steroidal antiinflammatory agents) for treatment of acne  
 INVENTOR(S): McKie, James Edward, Jr.; Potts, Russell Owen  
 PATENT ASSIGNEE(S): Pfizer Inc., USA  
 SOURCE: Eur. Pat. Appl., 9 pp.  
 CODEN: EPXXDW  
 DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 270316	A2	19880608	EP 1987-310504	19871127
EP 270316	A3	19891206		
R: AT, BE, CH, DE, ES, FR, GB, GR, IT, LI, LU, NL, SE				
DK 8706347	A	19880605	DK 1987-6347	19871203
NO 8705045	A	19880606	NO 1987-5045	19871203
AU 8782061	A1	19880609	AU 1987-82061	19871203
AU 583754	B2	19890504		
ZA 8709082	A	19890726	ZA 1987-9082	19871203
JP 63145238	A2	19880617	JP 1987-307371	19871204
PRIORITY APPLN. INFO.:			US 1986-937765	A 19861204
AB Topical compns. for the treatment of acne contained 1-10% 1-substituted imidazole antimicrobial agent and 1-25% NSAID. A white gel contained ibuprofen 10, tioconazole 1, PEG 300 10, Carbomer 934P 1, triethanolamine 1.35, and phenoxyethanol 1%, with the remainder being water.				
IT 53-86-1				
RL: BIOL (Biological study)				
(topical acne treatment compns. containing imidazole derivative and)				
RN 53-86-1 HCAPLUS				
CN 1H-Indole-3-acetic acid, 1-(4-chlorobenzoyl)-5-methoxy-2-methyl- (9CI)				
(CA INDEX NAME)				



L32 ANSWER 8 OF 8 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1988:637011 HCAPLUS

DOCUMENT NUMBER: 109:237011

TITLE: Peony extracts and anti-inflammatory agents in skin preparations

INVENTOR(S): Kawajiri, Yasuharu; Nakao, Yoshiharu; Shimano, Fusako; Wachi, Yoji

PATENT ASSIGNEE(S): Shiseido Co., Ltd., Japan

SOURCE: Jpn. Kokai Tokkyo Koho, 5 pp.

CODEN: JKXXAF

DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 63022506	A2	19880130	JP 1986-165399	19860714


PRIORITY APPLN. INFO.: JP 1986-165399 19860714

AB A topical composition for the treatment of skin disease comprises *Paeonia suffruticosa*, *P. lactiflora*, and/or their exts. in combination with an anti-inflammatory agent. A lotion contained *P. lactiflora* extract 1.0, ethoxylated and hydrogenated castor oil 2.0, glycerin 10.0, dipropylene glycol 10.0, 1,3-butylene glycol 5.0, polyethylene glycol 1500 5.0, glycyrrhizic acid 1.0, cetyl isooctanoate 10.0, squalane 5.0, methylparaben 1.0, carboxyvinyl polymer 0.3, Na hexametaphosphate 0.08, NaOH 0.12, and water 49.5g. The lotion was applied 1-3 times per day and clin. effects were demonstrated with 30 acne patients.

IT 53-86-1, Indomethacin  
 RL: BIOL (Biological study)  
 (topical composition containing peony extract and, for **acne** treatment)

RN 53-86-1 HCAPLUS

CN 1H-Indole-3-acetic acid, 1-(4-chlorobenzoyl)-5-methoxy-2-methyl- (9CI)  
 (CA INDEX NAME)




IT 53-86-1D, Indomethacin, mixts. with peony extract

RL: BIOL (Biological study)

(topical composition containing, for **acne** treatment)

RN 53-86-1 HCAPLUS

CN 1H-Indole-3-acetic acid, 1-(4-chlorobenzoyl)-5-methoxy-2-methyl- (9CI)  
 (CA INDEX NAME)



=>

255-8837

JIS

08 JAN 2004 (10A)

08 JUL 2004 (10A)

05 NOV 2004 (10A)

22 NOV 2005 (10A)

13 OCT 2005 (10A)

22 SEP 2003 (10A)

5/1/27

278

400

4140, 785

4670, 586

4093, 12085

5, 719, 136

1061, 1367

6144, 4668

6147, 214

6558, 447

6436, 929

6369, 1052

6448, 154

6442, 2052

6338, 9118

6329, 416

1010, 0119

1017, 152

0425, 712

1029, 4904

0981, 218

6799, 446

6509, 371

6441, 019

6566, 353

6503, 939

6607, 067

6591, 651

6693, 103

6650, 287

12-52, 81-1

5962, 515

63

1032, 2404

1155, 5539

1152, 2965

5688, 810

1549, 967

6835, 714

1040, 034

6759, 448

1061, 1091

1061, 1091

1077, 813

637, 1811

637, 1811

637, 1811

637, 1811

637, 1811

637, 1811

637, 1811

637, 1811

637, 1811

637, 1811

637, 1811

637, 1811

S<sup>1</sup>-(5 Cyano-1-methyl-1H-pyrol-2-yl)pic Lycebrexine -13- [11] indol-2-ylidenepic  
 Example: are vulgar Example: hirsutum Example: indol